

# POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING  
FOR ANIMAL TREATMENT ONLY

# COMBINATOR LV PLUS SELENIUM

ORAL ANTHELMINTIC FOR SHEEP



### ACTIVE CONSTITUENTS:

67.8 g/L LEVAMISOLE (as Levamisole Hydrochloride)  
50 g/L FENBENDAZOLE  
1 g/L SELENIUM (as Sodium Selenate)

For control of LEVAMISOLE and FENBENDAZOLE sensitive mature and immature roundworms in sheep and lambs and as an AID IN CONTROLLING SELENIUM DEFICIENCIES in sheep and lambs.



10 L

[www.dalgetyah.nutrien.com.au](http://www.dalgetyah.nutrien.com.au)

104585\_0220

**YOUR PROOF**

Job: 317733

Name: 03 Combinator LV Plus Selenium 10L front

Client:

Date: 17-03-2020

CHECK A PANTONE BOOK FOR TRUE COLOUR REPRESENTATION

- OK to proceed
- Further proof required

sign: \_\_\_\_\_ date: \_\_\_\_\_

No responsibility is taken for errors not noted on this proof  
**EXAMINE THIS ART VERY CAREFULLY AND RETURN THE SIGNED PROOF TO US FOR THE JOB TO PROCEED**



**Philstic Labels Limited**  
Email: [prepress@philstic.co.nz](mailto:prepress@philstic.co.nz)  
Phone: +64 9 970 1430  
Fax: +64 9 630 0957

175mm deep



DIELINE



Yellow



Cyan



PANTONE Orange 021 C



PANTONE 1787 C



Magenta



PANTONE 1817 C



Black

Date: 17/03/2020

Approved

domain change

Exclusivity statement removed

175mm wide

**COMBINATOR LV PLUS SELENIUM ORAL ANTHELMINTIC FOR SHEEP**

For control of LEVAMISOLE and FENBENDAZOLE sensitive mature and immature roundworms in sheep and lambs and as an AID IN CONTROLLING SELENIUM DEFICIENCIES in sheep and lambs.

COMBINATOR LV plus SELENIUM contains Levamisole, a member of the imidazothiazole ("clear") family of chemicals and Fenbendazole, a member of the benzimidazole ("white") family of chemicals. It is effective against sensitive and single-resistant mature and immature strains of the Roundworms and Lungworms listed below, and to aid in control of Tapeworms and Selenium deficiencies in sheep and lambs:

Barber's pole worm (*Haemonchus contortus*)

Black scour worm (*Trichostrongylus spp.*)

Hookworm (*Bunostomum spp.*)

Intestinal threadworm (*Strongyloides papillosus*)

Large lungworm (*Dictyocaulus filaria*)

Large mouthed bowel worm (*Chabertia ovin*)

Nodule worm (*Oesophagostomum spp.*)

Small intestinal worm (*Cooperia spp.*)

Small brown stomach worm (*Ostertagia spp.*)

Thin necked intestinal worm (*Nematodirus spp.*)

It will aid in the control of Tapeworm (*Moniezia spp.*).

**SPECIAL DIRECTIONS**

Resistance may develop to any chemical. Ask your local veterinary practitioner or animal health advisor for recommended parasite management practices for your area to reduce development of resistance. It is advisable that a drench-resistance test be conducted before any drench is used. This product is not effective against worms that are resistant to both benzimidazole and levamisole compounds.

**Restraints**

DO NOT USE IN GOATS.

**Contraindications**

This product is contraindicated for use in dogs and horses. This product should not be used when selenium intake from pasture is high or selenium is provided by other means (such as pasture top dressing, vaccine, pellets or selenium drenches) or if blood selenium levels at treatment are high. Users can determine selenium status by consulting a veterinarian.

**Precautions**

Do not administer to sheep and lambs grazing pasture known to be high in selenium or where the selenium accumulator plants such as *Neptunia ampexica* and *Morinda reticulata* are known to occur. Selenium can have toxic effects, particularly in sheep with liver damage that graze in areas where plants that contain pyrrolizidine alkaloids are prevalent.

Exercise care in handling weak, pregnant and young animals to avoid unnecessary stress. Avoid yarding animals off-feed overnight, and ensure animals have access to water when yarded prior to drenching. Recommended doses should not be exceeded, except under veterinary supervision.

**Adverse Reactions**

Overdosing can cause temporary excitement, tremors and salivation.

**Dosage and Administration**

SHAKE WELL BEFORE USE.

SHEEP & LAMBS: 1 mL per 10 kg bodyweight

Bodyweight (kg)	Dose Volume (mL)	Animals treated per 1 L
Under 15	1.5	666
16-20	2	500
21-25	2.5	400
26-30	3	332
31-35	3.5	284
36-40	4	250
41-45	4.5	222
46-50	5	200
51-55	5.5	180
56-60	6	166
61-65	6.5	152
66-70	7	142
71-75	7.5	132

Sheep in excess 75 kg to be dosed at 1 mL per 10 kg bodyweight. A representative sample of animals should be weighed before treatment. Dose the mob to the heaviest animal by liveweight in each group (ewes, wethers, rams, lambs). Do not underdose. Where there is a large variation in size within the group, dose rate should be based on the label directions for each weight range. Drafting into two or more lines may be appropriate, to avoid excessive overdosing. Rinse drenching guns after use. COMBINATOR LV plus SELENIUM should be administered orally.

COMBINATOR LV plus SELENIUM has ovicidal activity. For this to be of benefit, sheep should not be placed on clean pasture until 12 hours after drenching.

**WITHOLDING PERIODS**

**MEAT: DO NOT USE less than 14 days before slaughter for human consumption.**

**MILK: Milk collected from ewes within 3 days following treatment MUST NOT BE USED or processed for human consumption, or fed to bobby calves.**

**TRADE ADVICE: Export Slaughter Interval (ESI)**

DO NOT USE less than 14 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from either Landmark Operations (1800 448 892) or the APVMA website [www.apvma.gov.au/residues](http://www.apvma.gov.au/residues).

**SAFETY DIRECTIONS**

Harmful if swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. Wash hands after use. When opening the container and pouring large quantities wear elbow-length PVC gloves.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126. If skin contact occurs, remove contaminated clothing and wash skin thoroughly.

Additional Information is listed in the Safety Data Sheet.

**ENVIRONMENTAL PROTECTION**

Do not contaminate ponds, waterways or drains with the drench or used containers.

**DISPOSAL**

Triple-rinse container and dispose of rinsate in compliance with relevant local, state or territory government regulations. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean container to recycler or designated collection point. If the container has the drumMUSTER logo visible, and has been thoroughly cleaned and dried, and is free of any visible residues, it can be recycled at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be recycled separately with the container. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

**STORAGE**

Store below 30°C (Room Temperature). Do not freeze. Do not store for prolonged periods in direct sunlight. Store in tightly closed original container in a well-ventilated area.

**CONDITIONS OF SALE**

The use of this product is beyond the control of Nutrien Ag Solutions Limited. Any provisions or rights under the Australian Consumer Law which cannot be excluded by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies expressed or implied under common law, statute or otherwise, in relation to the sale, supply, storage, use or application of this product are excluded. Nutrien Ag Solutions Limited does not accept any liability (including consequential loss and/or negligence) for any loss or damage connected with the sale, supply, storage, use or application of this product except for liability which cannot be excluded by statute.

Additional statements required by Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia: May cause damage to organs through prolonged or repeated exposure; Do not breathe spray; Wear protective clothing and eye and face protection; Take off contaminated clothing and wash it before reuse.

**Nutrien Ag Solutions Limited**

Suite 3, Level 1, Building B, 11 Talavera Road,  
Macquarie Park, NSW, 2113 • Tel: (02) 9889 5400

**Product Support Tel: 1800 44 88 92**

APVMA Approval No.: 81727/103897

104590\_0220

IN A TRANSPORT EMERGENCY <b>DIAL 000</b> POLICE OR FIRE BRIGADE	FOR SPECIALIST ADVISE IN AN EMERGENCY DIAL <b>1800 033 111</b> 24 HOURS AUSTRALIA WIDE
---	---

[B]:

EXP:



Job: 317732

**YOUR PROOF**

Name: 02 Combinator LV Plus Selenium 10L Back

Client:

Date: 16-03-2020

CHECK A PANTONE BOOK FOR TRUE COLOUR REPRESENTATION

- OK to proceed  
 Further proof required

sign: \_\_\_\_\_ date: \_\_\_\_\_

No responsibility is taken for errors not noted on this proof  
**EXAMINE THIS ART VERY CAREFULLY AND RETURN THE SIGNED PROOF TO US FOR THE JOB TO PROCEED**



**Philstic Labels Limited**  
Email: [prepress@philstic.co.nz](mailto:prepress@philstic.co.nz)  
Phone: +64 9 970 1430  
Fax: +64 9 630 0957



DIELINE



PANTONE Orange 021 C



Black

175mm deep

Date: 16/03/2020

Approved

Company name change  
conditions of sale

175mm wide