

Check: 🛛 Changes & re-submit		Approved, OK to proceed		Whilst all care has been taken to present this proof and		
I. Content     Comments:			Name:		it's details correctly, it is the customers responsibility to ensure that all details meet their requirements. Your <b>signature indicates your acceptance that all is</b> <b>correct</b> . If not, please return proof unsigned and with corrections clearly marked.	
<ul> <li>2. Colours</li> <li>3. Barcode (Numbers)</li> </ul>			Sign: Date:			
💦 Pacific	Labels	F/O No <b>25290F</b>	ART VERSION 02	DATE 1.	7.2020	Pre Press: D. Harper
<b>A.B.N 93 000 881 425</b> 2 Lucca Road, Wyong NSW 2259		BLACK	MAGENTA	PMS	1797	
Ph: (02) 4359 7000 Fax	•	CYAN	YELLOW			
Email: sales@pacific	clabels.com.au	Die-line only (not print	ed)	PLEASE NO	<b>)TE:</b> Coloui	rs may vary up to 10% from printed proof.





#### **Restraint:**

DO NOT USE on cattle which are producing or may in the future produce milk for human consumption.

This product is contraindicated for use on pregnant cows within 6 weeks of calving to avoid handling stress. No. treated Animals State Body Dose weight per 20L Critical comments and Pest (mL)(kg) pack 101 - 150 2222 Beef cattle QLD 9 Retreat when you first see ticks but not before at least 6 weeks after the previous NSW 151 - 200 12 1666 WA & NT weaning 2. Maximum number of treatments per annual tick season: 3 Apply in two bands, about 7cm wide, one on each side of the spine between the rump and the shoulders with an Nutrien Ag approved applicator. DO NOT use any 201 - 250 15 1333 3 Cattle Tick 251 - 300 1111 18 (Boophilus other applicator. 301 - 350 microplus) 21 952 The weight of cattle should be determined by either scales or a weighband. Dose 4 individuals according to the heaviest animal in the mob. DO NOT underdose. 351 400 24 833 There is no need to treat calves as long as they suckle treated cows. Calves will receive adequate protection from their mother. A reduced length of protection may 401 450 740

occur in cows which are suckling calves. 666 6 TIK BOS should not be applied to show cattle as a light scurfiness may be visible for 606 some time after treatment. TIK BOS is a Tick Development Inhibitor and kills ticks progressively. It can take 2 555 to 3 weeks for cattle to be visibly free of ticks. No additional treatment is necessary 512 during that time, even on heavily infested animals. The development inhibiting effect of TIK BOS commences within 3 days of treatment.

Not suitable for cleaning cattle moving into 'gazetted' cattle tick areas

# NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

#### WITHHOLDING PERIODS:

MEAT: DO NOT USE less than 42 days before slaughter for human consumption. Calves which have suckled on treated cows must not be slaughtered less than 4 months after the last treatment of these cows.

30

33

36

39

3mL per 50ka

MILK: DO NOT USE on cattle which are producing or may in the future produce milk for human consumption.

451 - 500

501 - 550

551 - 600

601 - 651

Over 650

# TRADE ADVICE:

EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 42 days before slaughter for export

### **GENERAL INSTRUCTIONS:**

TIK BOS Treated Areas – Introduction of New Cattle

ICK Infested cattle introduced onto properties where a TIK BOS treatment regime is in place should be reated with TIK BOS prior to release.

## Handling of Treated Animals

Wear protective clothing recommended under Safety Directions, if handling treated cattle within 24 hours of application

For local tick control recommendations contact your local department of agriculture. **Cleaning Instructions** 

After use wash TIK BOS applicator with detergent and hot water. Dispose of the rinsates in a disposal pit away from desirable plants and their roots and watercourses.

#### SAFETY DIRECTION

Harmful if swallowed. Will damage eyes and skin. Avoid contact with eyes and skin. Repeated exposure may cause allergic disorders. When opening the container and using Repeated exposure may cause allergic disorders. When opening the container and using the product, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length PVC gloves and a face shield. If clothing becomes contaminated with product remove clothing immediately. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking and smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

Check:

🗌 1. Content

☐ 2. Colours

3. Barcode

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 131 126. If swallowed, do NOT induce vomiting. Give a glass of water. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor. For further information, refer to the Material Information Data Sheet.

BLACK

CYAN

Die-line only (not printed)

OTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMEN

DO NOT contaminate fish ponds, dams or rivers with the product or used containers. This product is very toxic to aquatic invertebrates.

Triple or (preferably) pressure rinse container. DO NOT dispose of undiluted chemicals on site. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots. Empty containers and product should not be burnt.

Store below 30°C (Room Temperature). Store in original container tightly closed in a dry, cool place. Store

out of direct sunlight

CONDITIONS OF SALE The use of this product is beyond the control of Nutrien Ag Solutions Limited. No warranty is expressed or implied regarding the suitability or efficiency for any purpose for which it is used by the buyer. Nutrien Ag Solutions Limited accepts no responsibility for any consequences resulting from the use of this product. Nutrien Ag Solutions Limited will not be held liable for any loss, injury or damage arising from the sale, supply or use of this product, whether through negligence or otherwise. No responsibility will be accepted for any consequences whatsoever resulting from the use of this product.

Nutrien Ag Solutions Limited Level 5, Building A, 26 Talavera Road, Macquarie Park, NSW 2113 Tel: (02) 9889 5400

Product Support Tel: 1800 44 88 92

IN A TRANSPORT EMERGENCY	FOR SPECIALIST ADVICE
DIAL 000	1800 033 111
POLICE OR FIRE BRIGADE	24 HOURS AUSTRALIA WIDE

APVMA Approval No.: 62288/107659

Additional statements required by Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia: Combustible liquid - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources; No smoking. May damage fertility or the unborn child; May cause respiratory irritation; Do not breathe spray; If inhaled move person to fresh air and keep comfortable for breathing. Store locked up.

PMS 1797



102170-0720

Pre Press: D. Harper

### Date: 27/07/2020 **ROLL DIRECTION FIG 5.** Approved PLEASE CHECK THIS PROOF THOROUGHLY AS FINAL RESPONSIBILITY FOR ACCURACY RESTS WITH YOU. □ Changes & re-submit □ Approved, OK to proceed Comments:..... Name: Sian: ... Date:..

F/O No 25290B ART VERSION 02 DATE 23.7.2020

MAGENTA

100 mm

B Exp

> Whilst all care has been taken to present this proof and it's details correctly, it is the customers responsibility to ensure that all details meet their requirements. Your signature indicates your acceptance that all is correct. If not, please return proof unsigned and with corrections clearly marked.

#### Pacific Labels $\cap$ A.B.N 93 000 881 425

(Numbers)

2 Lucca Road, Wyong NSW 2259 Ph: (02) 4359 7000 Fax: (02) 4351 1320 Email: sales@pacificlabels.com.au

PLEASE NOTE: Colours may vary up to 10% from printed proof.