

Safety Data Sheet

according to WHS Regulations

Printing date 10.12.2020

Revision: 03.12.2020

1 Identification

Product Name: MOXIMAX MOXIDECTIN PLUS SELENIUM ORAL DRENCH FOR SHEEP

Other Means of Identification: Mixture

APVMA Number: 48583

Recommended Use of the Chemical and Restriction on Use:

Control and treatment of internal and external parasites and selenium responsive conditions of sheep.

Details of Manufacturer or Importer:

Nutrien Ag Solutions Limited

Level 5, Building A, 26 Talavera Road,

Macquarie Park

NSW 2113

Phone Number: 02 9889 5400

Emergency telephone number: 1800 44 88 92

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Signal Word None

Hazard Statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 113507-06-5	Moxidectin	1%
	☠ Acute Toxicity (Oral) 3, H301; ☠ Aquatic Acute 1, H400	
CAS: 10102-23-5	Disodium selenate, decahydrate	0.5%
	☠ Acute Toxicity (Oral) 3, H301; ☠ Acute Toxicity (Inhalation) 3, H331; ☠ Aquatic Acute 1, H400; ☠ Aquatic Chronic 1, H410	

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 10.12.2020

Revision: 03.12.2020

Product Name: MOXIMAX MOXIDECTIN PLUS SELENIUM ORAL DRENCH FOR SHEEP

(Contd. of page 1)

Skin Contact:

In case of skin irritation, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms persist.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if symptoms persist.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: No adverse health effects expected.

Skin Contact: May cause mild skin irritation.

Eye Contact: May cause mild eye irritation.

Ingestion: May be harmful if swallowed. May cause irritation to mucous membranes.

Medical Attention and Special Treatment:

If product is injected, gently squeeze on the injection site with absorbent material (e.g. facial tissue). Strong squeezing should be avoided. Apply a topical antiseptic. Seek medical attention and check tetanus immunisation status.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog, foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, sodium compounds, selenium compounds and smoke. Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear appropriate respiratory protection and protective clothing. Evacuate all non-essential personnel from affected area.

Environmental Precautions: In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Wash area after spill.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet.

Wash contaminated clothing and other protective equipment before storage or re-use.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 10.12.2020

Revision: 03.12.2020

Product Name: MOXIMAX MOXIDECTIN PLUS SELENIUM ORAL DRENCH FOR SHEEP

(Contd. of page 2)

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container tightly closed when not in use. Protect from sunlight. Keep away from strong oxidising agents, strong acids and strong bases.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Clear pale yellow
Odour:	Aromatic
Odour Threshold:	No information available
pH-Value:	No information available
Melting point/freezing point:	~0 °C
Initial Boiling Point/Boiling Range:	~106 - 108 °C (at 100 kPa)
Flash Point:	Not applicable
Flammability:	Product is not flammable.
Auto-ignition Temperature:	Not applicable
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure at 20 °C:	2.37 KPa (water vapour pressure)
Relative Density:	~1.0
Vapour Density:	As for water.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 10.12.2020

Revision: 03.12.2020

Product Name: MOXIMAX MOXIDECTIN PLUS SELENIUM ORAL DRENCH FOR SHEEP

(Contd. of page 3)

Evaporation Rate:	As for water.
Solubility in Water:	Completely soluble
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.**Chemical Stability:** Stable at ambient temperature and under normal conditions of storage and use.**Conditions to Avoid:** Direct sunlight.**Incompatible Materials:** Strong oxidising agents, strong acids and strong bases.**Hazardous Decomposition Products:** Oxides of carbon, sodium compounds, selenium compounds and smoke.

11 Toxicological Information

Toxicity:**LD50/LC50 Values Relevant for Classification:** No information available**Acute Health Effects****Inhalation:** No adverse health effects expected.**Skin:** May cause mild skin irritation.**Eye:** May cause mild eye irritation.**Ingestion:** May be harmful if swallowed. May cause irritation to mucous membranes.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:**

The Australian Acceptable Daily Intake (ADI) for moxidectin for a human is 0.01 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 1 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

(Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2020).

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 10.12.2020

Revision: 03.12.2020

Product Name: MOXIMAX MOXIDECTIN PLUS SELENIUM ORAL DRENCH FOR SHEEP

(Contd. of page 4)

12 Ecological Information

Ecotoxicity:

Moxidectin:

LD50 (21 day oral) 365 mg/kg (mallard)

LD50 (14 day oral) 283 mg/kg (chicken)

LC50/ 28 day 37.2 mg/kg (earthworm)

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

CAS: 113507-06-5 Moxidectin

EC50/48 h 0.03 ppb (daphnia)

EC50/72 h >87 ppb (green algae)

LC50/96 h 0.16 ppb (rainbow trout)

0.62 ppb (bluegill)

Persistence and Degradability: This product is biodegradable.**Bioaccumulative Potential:** This product It will not accumulate in the soil or water.**Mobility in Soil:** No data available on finished product.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

16 Other Information

Date of Preparation or Last Revision: 03.12.2020**Prepared by:** MSDS.COM.AU Pty Ltd

www.msds.com.au

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 10.12.2020

Revision: 03.12.2020

Product Name: MOXIMAX MOXIDECTIN PLUS SELENIUM ORAL DRENCH FOR SHEEP

(Contd. of page 5)

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 3: Acute toxicity - oral – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Acute 3: Hazardous to the aquatic environment, short-term (Acute). Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Nutrien Ag Limited makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.