


# CAUTION

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING  
FOR ANIMAL TREATMENT ONLY

## CATTLEMAX PLUS INJECTION FOR CATTLE

ACTIVE CONSTITUENT: 10 g/L IVERMECTIN 100 g/L CLORSULON



For the treatment  
and control of  
**IVERMECTIN**  
and **CLORSULON**  
sensitive strains  
of internal and  
external parasites  
of beef and dairy  
cattle, including  
adult liver fluke.

1P4369F-1



**Dalgety**  
Animal Health

500 mL

[dalgetyah.nutrien.com.au](http://dalgetyah.nutrien.com.au)

# CAUTION

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING  
FOR ANIMAL TREATMENT ONLY**

## CATTLEMAX PLUS INJECTION FOR CATTLE

ACTIVE CONSTITUENT: 10 g/L IVERMECTIN 100 g/L CLORSULON

**BEFORE USING THIS PRODUCT, READ ALL DIRECTIONS ON THE CARTON.**

### **DIRECTIONS FOR USE:**

The recommended dose is 1 mL CATTLEMAX PLUS INJECTION FOR CATTLE per 50kg liveweight (equivalent to 200µg ivermectin and 2mg clorsulon per kg liveweight) by subcutaneous injection. This product is not to be used intravenously or intramuscularly.

### **WITHHOLDING PERIODS:**

**MEAT: DO NOT USE LESS than 28 days before slaughter for human consumption.**

**MILK: NIL**

**TRADE ADVICE: Export Slaughter Interval (ESI): DO NOT USE less than 42 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product confirm the current ESI from either Nutrien AG Solutions Limited on 1800 44 88 92 or the APVMA website [www.apvma.gov.au/residues.shtml](http://www.apvma.gov.au/residues.shtml)**

### **SAFETY TO CATTLE**

Studies have demonstrated a wide margin of safety. Pregnant and breeding cattle may be treated provided normal care is taken in handling.

### **SAFETY DIRECTIONS**

Poisonous if swallowed. Avoid contact with eyes, skin and clothing.

### **FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

### **ADDITIONAL USER SAFETY**

Additional information is listed in the Safety Data Sheet, available by request.

### **PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT:**

Ivermectin is extremely toxic to aquatic species. Do not contaminate dams, rivers, streams or other waterways with the chemical or used container.

### **DISPOSAL**

Dispose of empty container and packaging by wrapping with paper and putting in garbage. Discarded needles/sharps should immediately be placed in a designated and appropriately labelled 'sharps' container.

### **STORAGE**

Store below 30°C (Room Temperature). STORE BOTTLE IN CARTON TO PROTECT FROM LIGHT.

BN:

Expiry:

APVMA Approval No: 90406/128773

Nutrien Ag Solutions Limited  
Level 5, Building A, 26 Talavera Road,  
Macquarie Park, NSW 2113.

Tel: (02) 9889 5400

**Product Support Tel: 1800 44 88 92**