
CAUTION

KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT:

15 g/L fluazuron 5 g/L ivermectin

For strategic control of fluazuron susceptible cattle tick, *Rhipicephalus microplus*, including strains resistant to organophosphates, synthetic pyrethroids and amidines, on beef cattle.

For the treatment and Control of ivermectin sensitive Internal and External Parasites of Beef Cattle.

DALGETY DUOMAX contains fluazuron and ivermectin (a member of the avermectin (*macrocyclic lactone*) family). It is effective against cattle ticks and ivermectin-sensitive internal and external parasites of beef cattle. Resistance may develop to any chemical.



PARASITES TREATED AND CONTROLLED BY DALGETY DUOMAX

Cattle Tick: Rhipicephalus microplus

Gastrointestinal roundworms: For the control of adult and immature (L4): Small brown stomach worms (including inhibited stages)

Ostertagia ostertagi Barber's pole worm Haemonchus placei Stomach hair worm Trichostrongylus axei Intestinal hair worm

Trichostrongylus colubriformis Small intestinal worm

Cooperia spp. Nodule worm Oesophagostomum radiatum Oesophagostomum venulosum

And adult stages of: Trichuris spp. Intestinal threadworm Strongyloides papillosus

And immature stages of: Thin necked intestinal worm L4 Nematodirus spp.
Lungworm (adult and immature) Dictvocaulus viviparus

Eyeworm (adult stages)
Thelazia spp.

Sucking and biting lice: Linognathus vituli Haematopinus eurystemus Bovicola (Damalinia) bovis Solenopotes capillatus

Chorioptes bovis Sarcoptes scabei var bovis

Buffalo flies: Haematobia irritans exigua

Persistent activity: DALGETY DUOMAX applied at the recommended dose of 5 mL /50 kg liveweight controls infestations of Haematobia irritans exigua (buffalo flv) for up to 7 days after treatment.

Additional user safety: Material Safety Data Sheet. **ENVIRONMENTAL STATEMENTS:**

The product is extremely toxic to aquatic species DO NOT contaminate dams, rivers, streams or other waterways with the chemical or used container.

DISPOSAL:

Triple-rinse container and dispose of rinsate in compliance with relevant local, state or territory government regulations. Do not dispose of undiluted chemicals onsite

IF the container has drumMUSTER logo visible, and has been thoroughly cleaned and dried, and is free of any visible residues, it can be recycled at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be recycled separately with the container. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500mm below the surface in a disposal pit specifically marked and set up to this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

STORAGE:

Store below 30°C (Room Temperature). Store in original container tightly closed in a dry, cool place. Store out of direct sunlight.

Batch Number:

Date of expiry:

DOM:

APVMA Approval No: 89106/123632

Nutrien Ag Solutions Limited Level 5, Building A, 26 Talavera Road Macquarie Park, NSW 2113 Tel: (02) 9889 5400 Product Support Tel: 1800 44 88 92 dalgetyah.com.au



Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia:
Toxic if swallowed. May damage fertility or the
unborn child. Harmful to aquatic life with long lasting effects. Obtain special instructions before use Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protect
IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Specific treatment (see on this label). Rinse mouth Te exposed or concerned: Get medical advice/attention. Store locked up. Avoid release to the environment. Dispose of contents/container in accordance with local/regional/national regulations.

> IN A TRANSPORT EMERGENCY **DIAL 000** POLICE OR FIRE BRIGADE

FOR SPECIALIST ADVICE **1800 033 111** 24 HOURS AUSTRALIA WIDE

Directions for use:

Restraints: DO NOT USE on cattle which are producing or may in the future produce milk for human consumption. Contraindications: this product is contraindicated for use on pregnant cows within 6 weeks of calving to avoid handling stress.

Animals and pest	bodyweight (kg)	dose (ml)	Critical Comments	
Cattle tick (Rhipicephalus microplus) Ivermectin sensitive gastrointestinal roundworms (including inhibited Ostertagia ostertagi), lungworms, sucking and bitting lice, sarcoptic and chorioptic mites, and buffalo fly (haematobia irritans exigua)	101 to 150	15	Retreat when you first see ticks but not before at least 6 weeks after the previous treatment.	
	151 To 200	20	Maximum number of treatments per annual tick season: 3	
	201 To 250	25	To achieve optimal efficacy, DALGETY DUOMAX relies on a combination of absorption through the skin and oral ingestion (via grooming). For oral ingestion it is critical that the product is applied as 2 x 7 cm wide bands, from the shoulder to the rump, that are well separated on either side of the spine. Use a Nutrien recommended applicator.	
	251 To 300	30		
	301 To 350	35		
	351 To 400	40	4. The weight of cattle should be determined by either scales or a	1
	401 To 450	45	weigh band. Dose individuals according to the heaviest animal in the mob. Recommended rate gives 1.5 mg fluazuron and 0.5 ivermectin per kg bodyweight of beef cattle. DO NOT underdose. 5. There is no need to treat calves for cattle tick as long as they suckle treated cows. Calves will receive adequate protection from their mother. A reduced length of protection may occur in cows	
	451 To 500	50		
	501 To 550	55		
	551 To 600	60	which are suckling calves. 6. DALGETY DUOMAX should not be applied to show cattle as a ligh	t
	601 To 350	65	scurfiness may be visible for some time after treatment. 7. The effect of DALGETY DUOMAX is not adversely affected if rain occurs after application.	
	Over 650	5 ml/50 kg		

OT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

General Instructions

DALGETY DUOMAX treated areas - Introduction of new cattle: Tick infested cattle introduced onto properties where a DALGETY DUOMAX treatment regime is in place should be treated with DALGETY DUOMAX prior to release.

Handling of treated animals: Wear protective clothing recommended under Safety Directions, if handling treated animals within 24 hours of application.

To avoid operator contact within the DALGETY DUOMAX when concurrent treatments are carried out, DALGETY DUOMAX should be applied last. For local tick control recommendations contact your local department of agriculture.

Cleaning Instructions:

After use wash DALGETY DUOMAX applicator with detergent and hot water. Dispose of the rinsates in a disposal pit away from desirable plants and their roots and watercourses.

WITHHOLDING PERIOD/S:

MEAT: DO NOT USE LESS THAN 28 DAYS BEFORE SLAUGHTER FOR HUMAN CONSUMPTION. CALVES WHICH HAVE SUCKLED ON TREATED COWS MUST NOT BE SLAUGHTERED LESS THAN 4 MONTHS AFTER THE LAST TREATMENT OF THESE COWS.

MILK: DO NOT USE ON CATTLE WHICH ARE PRODUCING OR MAY IN FUTURE PRODUCE MILK FOR HUMAN CONSUMPTION. **EXPORT SLAUGHTER INTERVAL (ESI):**

DO NOT USE less than 42 day before slaughter for export. The ESI on this label was correct at the time of label approval. Before using the product, confirm the current ESI from Nutrien Ag Solutions Limited on 1800 448 892 or the APVMA website (www.apvma.gov.au/residues).

SAFETY DIRECTIONS: Harmful if swallowed. May irritate the skin. Will irritate the eyes. Avoid contact with eyes and skin. When preparing product for use and using product, wear elbow-length PVC gloves

If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves. FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

ADDITIONAL USER SAFETY: If swallowed, do NOT induce vomiting. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

200 mm

ROLL DIRECTION FIG 6.



PMS 349

PRINT COLOURS

Line 3425

A.B.N 93 000 881 425

2 Lucca Road, Wyong NSW 2259

Ph: (02) 4359 7000 Fax: (02) 4351 1320

sales@pacificlabels.com.au/www.pacificlabels.com.au

Job No: 43443B Version: v1 Date: 23.2.2021

Operator: Dalys Client: Nutrien Ag

FINISHING

Please read very carefully as you are 100% responsible for the accuracy once approval has been given. Delays in approval WILL effect the delivery date. Delivery date confirmation can only be advised once your artwork approval has been received Approved by:

/ / Date:

THIS IS YOUR PROOF - PROOF READING IS YOUR RESPONSIBILITY.

NG						
		Material:	PP White	Qty per Roll:	250	
	Gloss	Core size:	76 mm			
.	GIOSS					

Whilst all care has been taken to avoid mistakes

PLEASE NOTE that PDF files sent via email are not COLOUR CORRECT due to non calibration on your monitor. Colours may vary up to 10% from printed proof. The spot colour swatches shown on this proof are indicative only - all Pantone PMS colours are to be matched against Pantone Scale guides or supplied samples. Colours used for all die cuts, varnish, foil and other embellishments are for position only and not representative of colour or final result.