

CAUTION

KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



CENTURION[®]

POUR-ON LICE TREATMENT FOR SHEEP

ACTIVE CONSTITUENT: 35 g/L IMIDACLOPRID
Also Contains: 300 g/L N-METHYL-2-PYRROLIDONE (solvent)

For the control of neonicotinoid susceptible body lice (*Bovicola ovis*) on shorn sheep up to 7 days off-shears and unshorn lambs up to 2 months of age. This product can be expected to protect sheep against re-infestation with lice for 4 weeks after treatment when applied within 24 hrs of shearing.

Resistance may develop to any chemical.

LICE CONTROL
dalgetyah.com.au

1 0080665



20 L

180 mm

180 mm

DIRECTIONS FOR USE

DOSAGE AND ADMINISTRATION: This product can be used on all adult sheep up to 7 days off-shears and on unshorn lambs up to 2 months of age. Apply the entire dose to sheep under 30 kg as a single broadband stripe from poll to tail butt. For sheep over 30 kg, apply half the dose as a broadband stripe either side of the midline from the mid neck to the butt of the tail. The stripes should be no further than 10cm apart. Refer to the diagrams below.

A representative sample of animals should be weighed before treatment. Dose the mob to the heaviest animal by liveweight in each group (ewes, wethers, rams, lambs). DO NOT underdose. Where there is a large variation in size within the group (e.g. lambs), dose rate should be based on the label directions for each weight range. Drafting into two or more lines may be appropriate, to avoid excessive overdosing.

Bodyweight (Kg)	Dose (mL)	Method	Apply in the pattern below
Below 6kg	8	Single Stripe	
6.0 - 8.0	12		
8.1 - 10	15		
10.1 - 12.5	20		
12.6 - 15	25		
15.1 - 20	30		
20.1 - 30	40	Double Stripe	
30.1 - 55	60		
55.1 - 80	80		
80.1 - 100	90		
Add 10 mL for each 10 kg above 100 kg			

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL DIRECTIONS

Apply product only with a wide band or multi-stripe applicator. To prevent reinfestation treated sheep must not be mixed with lice free sheep until 6 weeks after treatment. Live lice on ewes treated within 6 weeks of lambing can infect lambs from these ewes.

Sheep must be treated within 7 days of shearing. Unshorn lambs can be treated up to 2 months of age. Efficacy is not affected by moderate rainfall either before or after treatment (50 mm rain 1 hour prior to treatment and/or 12.5 mm 2 hours after treatment and/or 25 mm 24 hours after treatment). Treated sheep must not be mixed with lousy sheep. DO NOT USE on sheep which have not been cleanly shorn for any reason e.g., mycotic dermatitis.

Management practices which promote good lice control such as complete musters, accurate treatment of every animal according to label, ensuring all animals can be treated at the same time, no split shearings, stock-proof fencing to prevent external introductions, quarantine and lice treatment of all newly purchased stock are essential for effective lice control.

Treated sheep could potentially develop backline dermatitis following prolonged exposure to extreme heat and sunlight without access to shade. DO NOT leave container, hose or applicator in the sun for long periods of time.

DO NOT leave medicant in applicator or suction hose - flush with water after use. Dispose of rinsate as per the disposal statements.

CENTURION® POUR-ON LICE TREATMENT FOR SHEEP may be used in conjunction with worm control drenches and at the same time as vaccination. CENTURION® POUR-ON LICE TREATMENT FOR SHEEP contains a blue dye to identify treated sheep. This dye is scorable from the wool. The product can be detrimental to certain plastics, paints and surface finishes. Avoid contact with such surfaces.

CENTURION® POUR-ON LICE TREATMENT FOR SHEEP is safe for use on breeding rams.

WITHHOLDING PERIODS

MEAT: DO NOT USE less than 21 days before slaughter for human consumption.

MILK: DO NOT USE on female sheep which are producing, or may in the future produce milk or milk products for human consumption.

WOOL: DO NOT USE less than 2 months before shearing or fibre collection.

TRADE ADVICE: EXPORT SLAUGHTER INTERVAL (ESI): DO NOT slaughter for export less than 63 days after treatment. Before using this product confirm the current ESI from either Loveland Agri Products Pty Ltd (1800 448 892) or the APVMA website www.apvma.gov.au/residues.

SAFETY DIRECTIONS: Will irritate the eyes. Avoid contact with eyes. When using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and washable hat and goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands arms and face thoroughly with soap and water. After each days use, wash goggles and contaminated clothing. Rehandling Interval: Do not come into contact with treated sheep until the spray has dried unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing).

FIRST AID INSTRUCTIONS: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

ENVIRONMENTAL STATEMENTS: Imidacloprid is highly toxic to aquatic species. DO NOT contaminate dams, ponds, rivers, waterways or drains with pesticide or used containers.

DISPOSAL: Triple-rinse container and dispose of rinsate in compliance with relevant local, state or territory government regulations. Do not dispose of undiluted chemicals on-site. If the container has the drumMUSTER logo visible, and has been thoroughly cleaned and dried, and is free of any visible residues, it can be recycled at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be recycled separately with the container. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product.

STORAGE: Store below 30 °C (room temperature) in closed, original container and protect from light.

SAFETY DATA SHEET: For further information, refer to the Safety Data Sheet which is available from the supplier.

CONDITIONS OF SALE: This product should not be used other than in accordance with the label and manufacturer's instructions. Product performance may also be affected by factors beyond the control of

Loveland Agri Products Pty Ltd and its Associates (as that term is defined in the Corporations Act 2001 (Cth)) (Associates). Individual results from using this product may vary. If symptoms persist, please consult your veterinarian or animal health specialist. TO THE FULLEST EXTENT PERMITTED BY APPLICABLE LAW, ANY OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY IS DISCLAIMED AND NOT MADE. In no case shall Loveland Agri Products Pty Ltd or its Associates be liable for consequential, incidental, special or exemplary damages or losses. Nothing in this warranty limits or modifies any rights you may have under the Australian Consumer Law. All sales (wholesale and retail) are governed by the General Terms and Conditions of Sale available at lovelandagriproducts.com.au or from your retailer upon request. These terms can only be varied by Loveland Agri Products Pty Ltd.

Additional statements required by Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia: May damage the unborn child. Very toxic to aquatic life with long lasting effects. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Collect spillage. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national regulations. Product contains: N-methyl-2-pyrrolidone, Imidacloprid.

Loveland Agri Products Pty Ltd

Level 5, Building A, 26 Talavera Road, Macquarie Park, NSW, 2113
Tel: (02) 9889 5400 - Product Support Tel: 1800 44 88 92

dalgetyah.com.au

APVMA Approval No.: 83012/137459

IN A TRANSPORT EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE

FOR SPECIALIST ADVICE
IN AN EMERGENCY
1800 033 111
24 HOURS AUSTRALIA WIDE



Batch Number:

Expiry:

10080664

180 mm

180 mm